

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**


**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

APPROVED	O.G. FILE	
BY	CLASS	SUBCLASS
DRAFTSMAN		



**Fig. 1**

*Prior Art*



**Fig. 5**

00619067 071900

006T20" 2906T960




Fig. 2

APPROVED	C.G. 11-1	
BY	CLASS	SUBCLASS
DRAFTSMAN		





Fig. 3

006T20" 2906T950

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		



PASS/FAIL Run Test

Waveforms Failed: 0 Out of: 0

On Failure: ☐ ☐ ☐ ☐

Completion: ☐ ☐ ☐ ☐

Repeat Waveforms 100000

Threshold 1

Polarity ☐ ☐ ☐ ☐

MENU	STANDARD	CONTROL
Telecom	E1 Sym (ITU-T) 2.048 Mb/s	Highlight Average Off On Wfm Lock Off On Autofit Off

Fig. 4